




NCEP Contributions to the WMO Severe Weather Forecasting Demonstration Project (SWFDP) and to the African Monsoon Multidisciplinary Analysis (AMMA) Initiative

1.0. Rainfall Forecast: Valid 06Z of August 17th – 06Z of August, 21th 2012. (Issued at 13:00Z of August, 16th 2012)


1.1. Twenty Four Hour Cumulative Rainfall Forecasts

The forecasts are expressed in terms of 75% probability of precipitation (POP) exceeded, based on the NCEP, UK Met Office and the ECMWF NWP outputs, the NCEP global ensemble forecasts system (GEFS) and expert assessment.



Summary

In the next five days, ITD is expected to fluctuate between 15°N and 23°N with moderate to strong monsoon depth within 24 to 120 hours; also the TEJ, AEJ and the AEW propagation with vortices within the 850 to 700hpa pressure level fields are expected to enhance rainfall activities over parts of South Sudan Republic, Cameroon and Nigeria; South Chad; portions of the Sahel Region, Sierra Leone and Guinea Conakry; Northern Guinea Gulf Countries; part of Central African Republic; West and North Ethiopia.



1.3. Model Discussion: Valid from 00Z of August, 16th 2012.

The heat lows over Mauritania, Mali, Algeria, Niger, Chad and Sudan are expected to fluctuate in their positions while deepening and filling up and vice versa, through 24 to 120 hours, according to the GFS, ECMWF and UKMET models.

According to the GFS model, a thermal low over north, central and coastal Mauritania (1008hpa) in 24 hours is expected to steadily increase to 1010hpa through 48 hours to 72 hours, and tends to significantly decrease its core value to 1005hpa in 120 hours especially over coastal Mauritania. The second low over south Algeria and Mali (1010hpa) in 24 hours is expected to significantly decrease its core value to 1002hpa in 72 hours over central Mali, and tends to increase its core value to 1008hpa through 96 to 120 hours. The third low over North Chad and Niger (1006hpa) in 24 hours is expected to increase to 1008hpa through 48 to 96 hours and decrease to 1006hpa in

120 hours; while the low over North Sudan (1006hpa) in 24 hours is expected to maintain its core value at 1006hpa through 48 to 120 hours.

The ECMWF model shows a thermal low over north, central and the coast of Mauritania (1010hpa) in 24 hours is expected to maintain this core value of 1010hpa from 48 to 72 hours, thereafter slightly decrease to 1009hpa in 120 hours over east Mauritania. The second low over South Algeria and North Mali (1010hpa) in 24 hours is expected to significantly decrease its core value to 1006hpa through 48 to 96 hours, and then increase to 1010hpa in 120 hours. The third low over North Chad and Niger (1007hpa) in 24 hours is expected to decrease in its core value to 1005hpa in 48 hours before increasing to 1010hpa through 72 to 120 hours; while the low over North Sudan (1006hpa) in 24 hours is expected to maintain almost the same core value through 48 to 120 hours.

The UKMET model shows a thermal low over north and central Mauritania (1007hpa) in 24 hours is expected to increase its core value to 1010hpa in 72 hours, and is expected to significantly decrease to 1006hpa through 96 to 120 hours. The second low over south Algeria and north Mali (1010hpa) in 24 hours is expected to significantly decrease its core value to 1003hpa in 72 hours and to steadily increase to 1006hpa through 96 to 120 hours. The third low over North Chad and Niger (1006hpa) in 24 hours is expected to decrease to 1004hpa in 48 hours and tends to increase to 1006hpa through 72 to 120hours; while the low over North Sudan (1003hpa) in 24 hours is expected to maintain its core value at 1003hpa through 48 to 120 hours.

According to the UKMET model, the St. Helena High pressure system over South Atlantic Ocean with a core value of 1037hpa in 24 hours locates at latitude 32°S is expected to increase its core value to 1045hpa by moving southward to around latitude 40°S in 48 hours, and tends to decrease its cores value to 1035hpa by moving steadily northwards from latitude 40°S to 30°S through 72 to 120 hours.

According to the ECMWF model, the central pressure value of 1036hpa in 24 hours locates at latitude 30°S is expected to significantly increase its core value to 1045hpa by moving southwards to around latitude 40°S in 48 hours, and tends to steadily decrease

its core value to 1036hpa while moving northwards to latitude 30°S through 72 to 120 hours.

Lastly, according to the GFS model, the central pressure value of 1036hpa in 24 hours locates at latitude 30°S is expected to significantly increase its core value to 1045hpa by shifting southwards to latitude 42°S in 48 hours before moving northwards to latitude 30°S with a core value of 1034hpa through 72 to 120 hours.

According to the GFS model, the Azores high pressure system over North Atlantic Ocean with its central pressure value of 1022hpa in 24 hours and locates at longitude 45°W is expected to gradually decrease its core value to 1020hpa while shifting eastwards to longitude 15°W in 96 hours, before a significant increase to 1026hpa while moving west to longitude 40°W in 120 hours.

According to the ECMWF model, the central pressure value of 1022hpa in 24 hours and locates at longitude 45°W is expected to gradually decrease its core value to 1020hpa while moving to the west from longitude 45°W to 55°W in 72 hours, before increasing to 1023hpa in 120 hours as it shifts east to longitude 40°W.

Lastly, according to the UKMET model, the central pressure value of 1022hpa within 24 and locates at longitude 45°W is expected to steadily decrease to 1020hpa through 48 to 72 hours while its position will move westwards to longitude 50°W; through 96 to 120 hours its core value will tend to increase to 1023hpa as it moves east to longitude 20°W.

At 925hpa level, a zone of moderate dry northerly and northeasterly winds (20 to 35kts) is expected to prevail over central Libya, south-west Algeria, south-west Niger, north Mali and north Mauritania through 24 to 72 hours.

At the 850hpa level, a lower tropospheric wind convergence associated with strong and significant West African Monsoon inflow and depth between latitude 15°N and 21°N is expected to prevail over parts of Mauritania, Mali, Niger, Sudan, Chad and Western Africa through 24 hours to 120 hours. Vortices are expected over north-east Nigeria, west Niger; east Mali; south-central Sudan; south-east Mauritania; south Algeria and the coast of Gambia down to Guinea-Conakry. The convergence associated with the

meridional arm of the ITCZ is expected to oscillate between portions of South Sudan Republic; North and Central Democratic Republic of Congo; West and North Uganda; South and East Central African Republic and the Great Lake Countries through 24 hours to 120 hours.

At 700hpa level, the AEJ with a core value between 30 and 40 knots is expected to affect parts of Libya, Algeria, Senegal, Gambia, Burkina Faso, Chad, Niger and Mali. Vortices are expected over parts of Sudan, Chad, Central African Republic, Burkina Faso and Niger. The African Easterly Waves (AEW) is also expected to propagate westwards affecting parts of Niger, Mali, Chad, Nigeria and Mauritania within 24 to 120 hours.

At 500hpa level, a wave is expected to affect parts of Mali, Mauritania, Nigeria, Liberia, Togo, Niger, Benin, Kenya, Ethiopia, Cameroon, Ghana, Cote D'Ivoire, Burkina Faso and Chad, through 24 to 120 hours with vortices over south-east Mauritania in 120 hours.

At 150mb, the Tropical Easterly Jet with a maximum core of 25 to 55 Knots will affect portions of South Sudan Republic and the South Guinea Gulf Countries; parts of Ethiopia, Cameroon, Kenya and Central African Republic; Easterly wind flow will also continue to affect most parts of West Africa, Chad, Cameroon and Sudan through 24 to 120 Hours.

In the next five days, ITD is expected to fluctuate between 15°N and 23°N with moderate to strong monsoon depth within 24 to 120 hours; also the TEJ, AEJ and the AEW propagation with vortices within the 850 to 700hpa pressure level fields are expected to enhance rainfall activities over parts of South Sudan Republic, Cameroon and Nigeria; South Chad; portions of the Sahel Region, Sierra Leone and Guinea Conakry; Northern Guinea Gulf Countries; part of Central African Republic; West and North Ethiopia.

Atmospheric dust concentration is expected over south-west Algeria into north-east Mali through 24 to 72 hours.

2.0. Previous and Current Day Weather Discussion over Africa


(August, 15th 2012– August, 16th 2012)

2.1. Weather assessment for the previous day (August, 15th 2012)

During the previous day, moderate to heavy rainfall was observed over parts of Guinea Conakry; Senegal; Sierra Leone; south Mauritania; south Mali; north-west Niger; north-east Nigeria; south and central Chad; North Cameroon; Democratic Republic of Congo; Central African Republic and South Sudan Republic; West Ethiopia; Togo; Ghana and Benin.

2.2. Weather assessment for the current day (August, 16th 2012)

Convective activities observed across parts of south Mali; south Niger; Burkina Faso; Nigeria; south Chad; Democratic Republic of Congo; Cameroon; Congo; South Sudan Republic; western and central Ethiopia; Uganda; Somalia; south east Mauritania; Senegal; Guinea-Conakry; Sierra Leone; Ghana; Togo; Kenya; Somalia and Central African Republic.



Author: Izuchukwu Ebenebe, (Nigeria Meteorological Agency / CPC-African Desk); izu.ebenebe@noaa.gov