




NCEP Contributions to the WMO Severe Weather Forecasting Demonstration Project (SWFDP) and to the African Monsoon Multidisciplinary Analysis (AMMA) Initiative

1.0. Rainfall Forecast: Valid 06Z of 22 August – 06Z of 26 August, 2013. (Issued at 1700Z of 21 August 2013)

1.1. Twenty Four Hour Cumulative Rainfall Forecasts


The forecasts are expressed in terms of 75% probability of precipitation (POP) exceeded, based on the NCEP, UK Met Office and the ECMWF NWP outputs, the NCEP global ensemble forecasts system (GEFS) and expert assessment.



Summary

In the next five days, favorable conditions are expected to modulate rainfall activities over eastern and West Africa while suppressed conditions are also expected to continue along the Gulf of Guinea coast. Strong cross equatorial flow, with its associated convergence over the Horn of Africa is expected to increase rainfall over East Africa. Thus, there is an increased chance for moderate to heavy rainfall over Conakry Guinea, Bissau Guinea, Sierra Leone, Liberia, south west *Niger*, *South Chad*, *Sudan*, and *West Ethiopia*..

1.2. Atmospheric Dust Forecasts: Valid 22 - 24 August 2012



1.2. Model Discussion: Valid from 00Z of 21 August 2013

Model comparison (Valid from 00Z;21 August, 2013) shows all the three models are in general agreement in terms of depicting positions of the northern and southern hemisphere sub-tropical highs, while they showed slight differences in depicting their intensity.

The Azores High Pressure System over Northeast Atlantic Ocean is expected to slightly intensify during 24 to 96 hours. Its central pressure value is expected to increase from about 1023hpa to 1032hpa according to the GFS model, from about 1024hpa to

1032hpa according ECMWF and about 1024hpa to 1031hpa according to the UKMET model.

The St. Helena High Pressure System over southeast Atlantic Ocean is expected to weaken during the forecast period; its central pressure value is expected to decrease from about 1032hpa to 1022hpa according to GFS models, about 1032hpa to 1022hpa according to the ECMWF and from about 1033hpa to 1020hpa according UKMET model.

The Mascarene high pressure system over southwestern Indian Ocean is expected to increase significantly during 24 to 48 hours, before decrease. Its central pressure value is expected to increase from 1028hpa to 1031hpa according to GFS model and according ECMWF model and according to UKMET model.

The heat lows over the central Sahel and neighboring areas are expected to deepen slightly during 72 to 120 hours period especially over Mali and Mauritania according to GFS, ECMWF and UKMET models. Its value is expected to decrease from about 1007hpa to 1005hpa according GFS model, from about 1007hpa to 1006hpa according to ECMWF model, from about 1005hpa to 1004hpa according to UKMET model. The seasonal lows across the red sea and its neighboring areas are expected to maintain its positions during the forecast period.

At the 850hPa level, monsoon wind flow continues to dominate flow across West Africa. The inter-tropical front is also expected to shift slightly to the south to have an average position of latitude 20°N, while meridional wind convergence will dominate flow across East Africa. Suppressed rainfall along Guinea Gulf coast is expected to persist as wind and surface pressure conditions gradually improve over the area during the forecast period. The frequency in number of vortices at this level and wind convergence over the region is expected to be maintained over the region with high to moderate rainfall over Western Sahel.

At 700hpa level, wind flow maintains northeasterly to easterly flow pattern between. Few vortices and trough lines also are expected to occur from East to west and likely to facilitate westward propagation of systems across the region during the period.

At 500hpa level, winds associated with mid-tropospheric easterly jet are generally weak with common speeds of 30kts over Sahel.

At 150hPa level, tropical easterly jets are stronger over East Africa than over Sahel during forecast period. Speeds of 30 to 65kts are common over West and East Africa. However, speeds exceeding 70kts and above are observed over Ethiopia, eastern Sudan and Somalia during the forecast period.

In the next five days, favorable conditions are expected to modulate rainfall activities over eastern and West Africa while suppressed conditions are also expected to continue along the Gulf of Guinea coast. Strong cross equatorial flow, with its associated convergence over the Horn of Africa is expected to increase rainfall over East Africa. Thus, there is an increased chance for moderate to heavy rainfall over Conakry Guinea, Bissau Guinea, Sierra Leone, Liberia, south west Niger, South Chad, Sudan, and West Ethiopia

2.0. Previous and Current Day Weather Discussion over Africa

(20 August 2013 – 21 August 2013)



2.1. Weather assessment for the previous day (20 August 2013)

During the previous day, moderate to locally heavy rainfall was observed over south West Niger, South West Mali, North Benin and North Togo, West Burkina Faso, Conakry Guinea, East Senegal, CAR, North West DRC, North West Ethiopia, South Uganda.

2.2. Weather assessment for the current day (21 August 2013)

Intense clouds were observed over Sudan, Chad, North DRC, North CAR, North Nigeria, South West Mali and Cameroon.

The ITD is located at an average position of latitude 20°N over Africa.



Previous day rainfall condition over Africa (top Left) based on the NCEP CPCE/RFE and current day cloud cover (top right) based on IR Satellite image

Author: Kassimou Abdou, (ACMAD / CPC-African Desk); kassimou.abdou@noaa.gov