




NCEP Contributions to the WMO Severe Weather Forecasting Demonstration Project (SWFDP) and to the African Monsoon Multidisciplinary Analysis (AMMA) Initiative

1.0. Rainfall Forecast: Valid 06Z of 19 July– 06Z of 22 July 2011, (Issued at 10:00Z of 18 July 2011)

1.1. Twenty Four Hour Cumulative Rainfall Forecasts

The forecasts are expressed in terms of probability of precipitation (POP) exceeded based on the NCEP, UK Met Office and the ECMWF NWP outputs, the NCEP global ensemble forecasts system (GEFS) and expert assessment.



Summary

In the next four days, westward propagating easterly waves with their associated thunderstorms are expected to enhance rainfall over western and central African regions. As a result of this, there is an increased chance for heavy rainfall over eastern Guinea, southern Mali, parts of Burkina Faso, Togo, Benin and Chad. The seasonal monsoon flow is also expected to maintain moderate to heavy rains over parts of Ethiopia and Eritrea

1.2. Models Comparison and Discussion-Valid from 00Z of 15 July 2011

According to the NCEP/WRF, GFS, ECMWF and UKMET models, the monsoon trough with its associated heat lows across the Sahel region is expected to maintain its east-west orientation during the forecast period. The heat low along its western end (near Mauritania and Mali) is expected to deepen through 24 to 72 hours from a central pressure value of 1006mb in 24 hours to 1003mb in 72 hours according to GFS, from 1004mb to 1003mb according to the ECMWF model and from a central pressure value of 1003mb in 24 hours to 1000mb in 72 hours according to the UKMET model. This heat low tends to fill up slightly by 96 hours. The heat lows over the central African region, Sudan and Arabian Peninsula are expected to show little or no significant change during the forecast period according to the three models. The East African ridge across southeast and East Africa is expected to strengthen gradually through 24 to 96 hours.

The St. Helena High pressure system over the southeast Atlantic Ocean is expected to weaken gradually through 24 to 96 hours, with its central pressure value increasing from 1028hpa in 24 hours to 1021 hpa in 96 hours, according to the GFS model. The Mascarene high pressure system over the southwest Indian Ocean is expected to intensify from a central pressure value of 1024 in 24 hours to 1028 in 96 hours.

At the 850hpa level, the seasonal moist southeasterly flow from the Indian Ocean across East Africa, turning into a southwesterly flow as it passes northern DRC and CAR, and Sudan, is expected to converge over parts of Sudan and western Ethiopia during the forecast period through 24 hours. However, this flow from the Indian Ocean is expected to be confined across the East and southeast African countries with a more southerly direction. At the same time, southwesterly to westerly flow from the Atlantic Ocean is expected to dominate the flow over eastern parts of the Gulf of Guinea, the central African region and portions of the Horn of Africa. A lower tropospheric cyclonic circulation is expected to move westwards between southern Chad and Mali during the forecast period.

At the 700mb level, two easterly waves, one across the western end of West Africa, and the other one across central and eastern parts of the Gulf of Guinea are expected to dominate the flow over western and central African countries. The wave in the vicinity of Burkina Faso is expected to leave the West African coast through 48 hours, while the

wave in the vicinity of Chad is expected to propagate towards Mali during the forecast period.

At 500hpa, easterly winds with moderate intensity (10 to 25knots) are expected to dominate the flow over western Sudan, central African and the Gulf of Guinea and southern Sahel region, with the stronger winds associated with the African easterly Jet are expected over southern Mali, northern Guinea and Burkina Faso, Niger, Chad and Sudan through 24 to 48 hours, with the core of the stronger winds propagating towards the West Coast of West Africa through 72 hours.


A zone of strong wind (>110Kts) at 200hpa level associated with the Sub Tropical westerly Jet in the southern hemisphere is expected to propagate between southeast Atlantic Ocean and southwest Indian Ocean, across South Africa during the forecast period.

In the next four days, westward propagating easterly waves with their associated thunderstorms are expected to enhance rainfall over western and central African regions. As a result of this, there is an increased chance for heavy rainfall over eastern Guinea, southern Mali, parts of Burkina Faso, Togo, Benin and Chad. The seasonal monsoon flow is also expected to maintain moderate to heavy rains over parts of Ethiopia and Eritrea.

2.0. Previous and Current Day Weather Discussion over Africa (17 July -18 July 2011)

2.1. Weather assessment for the previous day (17 July 2011): During the previous day, locally heavy rainfall was observed over Togo, Benin, southern Nigeria, South Sudan, and eastern Sudan.

2.2. Weather assessment for the current day (18 July 2011): Intense clouds are observed over southern Mali, Burkina Faso, Cote D'Ivoire, Ghana, and local areas of Chad, Cameroon, Sudan, Ethiopia and Eritrea.



Previous day rainfall condition over Africa (Left) based on the NCEP CPCE/RFE and current day cloud cover (right) based on IR Satellite image

Author(s): Orlando Mendes (Direcção Geral da Meteorologia Nacional da Guiné-Bissau) / CPC-African Desk), orlando.mendes@noaa.gov and

Albert M. Sherman (Liberian Meteorological Agency) / CPC-African Desk), albert.sherman@noaa.gov

Disclaimer: This bulletin is for training purposes only and should be used as guidance. NOAA does not make forecasts for areas outside of the United States.