




# NCEP Contributions to the WMO Severe Weather Forecasting Demonstration Project (SWFDP) and to the African Monsoon Multidisciplinary Analysis (AMMA) Initiative

## 1.0. Rainfall Forecast: Valid 06Z of 22 May – 06Z of 26 May 2012, (Issued at 16:00Z of 21 May 2012)


### 1.1. Twenty Four Hour Cumulative Rainfall Forecasts

The forecasts are expressed in terms of 75% probability of precipitation (POP) exceeded, based on the NCEP, UK Met Office and the ECMWF NWP outputs, the NCEP global ensemble forecasts system (GEFS) and expert assessment.



### Summary

In the next five days, seasonal wind convergences in the Gulf of Guinea, convergence over central Africa and western equatorial Africa regions, convergences associated with Congo Air Mass, seasonal wind convergences in southern Ethiopia, Southern Sudan and Somalia, and cyclonic circulation off the coast of East Africa are expected to enhance rainfall across their respective regions. In general, there is an increased chance for heavy rainfall over portions of Burkina Faso, Nigeria, Cameroon, DRC, CAR, Gabon, Congo, Ethiopia, Uganda, Kenya, portions of Tanzania, South Sudan Republic, Rwanda and Burundi.



### 1.3. Model Discussion: Valid from 00Z of 21 May 2012

According to the GFS, ECMWF and UKMET models an east-west oriented trough and its associated heat lows are expected to prevail in the region between southern Mali and Sudan.

A low near Niger, Burkina Faso, Benin, Northern Nigeria and Mali is expected to shift toward the border between Mali and across Niger; with its central pressure value tends to be 1007hpa through 24 hours. The central pressure value tends to be constant at 1005hpa through 48 to 96 hours. The central pressure value tends to decrease to 1004hpa in 120 hours. The central pressure value of a low over Chad, Northeastern

Nigeria and Cameroon tends to decrease from 1006hpa to 1002hpa through 24 to 96 hours. The central pressure value tends to slightly increase to 1006hpa in 120 hours. The low across Ethiopia, Sudan and South Sudan Republic is also expected to deepen; with its central pressure value tends to be 1006hpa through 24 to 48 hours. The central pressure value tends to be constant at 1004hpa through 72 to 120 hours.

According to UKMET and ECMWF models, the UKMET model of the St. Helena High pressure system over southeast Atlantic Ocean is expected to deepen; with its central pressure value tends to be 1018hpa in 24 hours. The central pressure value tends to decrease from 1031hpa to 1029hpa through 96 to 120 hours. According to the ECMWF model, the central pressure value tends to be 1029hpa through 96 to 120 hours. Lastly, according to the GFS model, the central pressure value tends to be 1018hpa in 24 hours. The central pressure value tends to be constant at 1029hpa through 96 to 120 hours.

According to the GFS model, the Mascarene high pressure system over southwestern Indian Ocean is expected to shift eastwards (about 48°E to 79°E), while giving way to the interactions between mid-latitude and tropical systems through 24 to 72 hours with its central pressure value is expected to increase from about 1027hpa to 1030hpa. The central pressure value of this high tends to slightly increase to about 1036hpa, by shifting to about 48°E in 120 hours. According to the ECMWF model, the central pressure value of this high tends to increase from about 1028hpa to 1029hpa, by shifting from about 54°E to 74°E through 48 to 72 hours. Lastly, according to the UKMET model of the Mascarene high pressure system over southwestern Indian Ocean is expected to shift eastwards (about 38°E to 76°E), while giving way to the interactions between mid-latitude and tropical systems through 24 to 72 hours with its central pressure value is expected to increase from about 1028hpa to 1031hpa. The central pressure value of this high tends to decrease from about 1023hpa to 1036hpa, by shifting to about 50°E to 51°E through 96 to 120 hours.

At 925hpa level, zone of moderate and dry northerly and easterly winds (25 to 35kts) are expected to prevail over parts of Sudan, Egypt, Chad, Mali, Morocco, Mauritania, Tunisia, Libya, Algeria, Niger and Western Sahara through 24 to 120 hours.

At the 850hpa level, a lower tropospheric wind convergence associated with the West African Monsoon is expected to prevail over parts of Northern Nigeria, Mali, Guinea, and Niger tend to shift toward Niger through 24 hours to 120 hours. Then, the convergence is expected to extend towards Chad, Cameroon, Northeastern Nigeria and Sudan through 24 to 120 hours. Seasonal lower level convergences are expected to remain active over Southern Sudan Republic and Ethiopia through 24 to 120 hours. The convergence associated with the meridional arm of the ITCZ is expected remain active across Tanzania, Kenya and Somalia during 24 hours to 120 hours and the convergence tends to become a cyclonic circulation over Coast of Kenya, Somalia and Tanzania.

At 500hpa level, a mid-latitude trough across Northern Africa and the neighboring areas is expected to deepen gradually, with its axis over Algeria, Libya, Egypt, Western Sahara, Morocco, Tunisia and Northern Mauritania through 24 to 120 hours. A mid-latitude frontal trough is also expected propagate across South Africa Republic during 24 to 120 hours.

At 200mb, the Sub-Tropical Westerly Jet across northeastern Atlantic Ocean, North Africa and Eastern Egypt is expected to have a wavy pattern, with cores over Northwest and Northeast Africa. The core speed over Algeria, Morocco, Tunisia, Mauritania and Libya, is expected to exceed 110kts during 24 to 72 hours, and it tends to shift northwards through 96 to 120 hours. The winds speed across the core over Egypt, Sudan and the Red Sea is expected to exceed 90kts during 24 to 72 hours, and then it tends to weaken the wind speed values of below 70kts towards end of the forecast period.

In the next five days, seasonal wind convergences in the Gulf of Guinea, convergence over central Africa and western equatorial Africa regions, convergences associated with Congo Air Mass, seasonal wind convergences in southern Ethiopia, Southern Sudan and Somalia, and cyclonic circulation off the coast of East Africa are expected to enhance rainfall across their respective regions. In general, there is an increased

chance for heavy rainfall over portions of Burkina Faso, Nigeria, Cameroon, DRC, CAR, Gabon, Congo, Ethiopia, Uganda, Kenya, portions of Tanzania, South Sudan Republic, Rwanda and Burundi.

There is an increased chance for moderate to high atmospheric dust concentration over portions Algeria, Mali, Mauritania, Western Sahara, Libya, Egypt and Northern Senegal.

## 2.0. Previous and Current Day Weather Discussion over Africa


(20 May – 21 May 2012)

### 2.1. Weather assessment for the previous day (20 May 2012)

During the previous day, moderate to locally heavy rainfall was observed across portions of Guinea, Sierra Leone, Liberia, Ivory Coast, Nigeria, Cameroon, Gabon, Congo, CAR, DRC, Ethiopia, Southern Sudan Republic, Uganda, Tanzania, Somalia, Kenya, Northern Angola and Madagascar.

### 2.2. Weather assessment for the current day (21 May 2012)

Intense clouds are observed across Ghana, Togo, Benin, Nigeria, DRC, Uganda, Kenya, Tanzania, Southern Sudan Republic, Uganda, Ethiopia, Somalia and Madagascar.



**Authors:** Eugene V. S. Gar-Glahn, (Liberia Meteorological Service / CPC-African Desk); [eugene.gar-glahn@noaa.gov](mailto:eugene.gar-glahn@noaa.gov)  
Ezekiel Njoroge, (Kenyan Meteorological Department / CPC-African Desk); [ezekiel.njoroge@noaa.gov](mailto:ezekiel.njoroge@noaa.gov)